


DIGITAL TORQUE WRENCHES

Tightening & auditing tools

THE PROFESSIONAL'S CHOICE

- Maximum permissible deviation $\pm 1\%$ of actual reading
 - Torque only and torque & angle modes available
 - Capture residual torque
- Languages; English, Chinese, French, German, Italian, Polish, Portuguese, Russian, Spanish
- Units; cN.m, N.m, ozf.in, lbf.in, lbf.ft, kgf.cm, kgf.m



SMART + EASY

Packed full of intelligent features. Easy to master

LIGHT + DURABLE

Suitable for rugged conditions. Ergonomically designed for repetitive use

CLEAR + DISTINCT

Bright OLED display with progress bar & buzzer for pass/fail signalling


TRACEABLE

Transfer data via USB to PC software or upgrade to one of the wireless options

DIGITAL WRENCH SERIES

Feature	Pro	Super	Auditor
Track	Yes	Yes	Yes
Peak	Yes	Yes	Yes
Presets	1	99	99
Set Torque & Angle	-	-	Yes
Just Move	-	-	Yes
Just Angle	-	-	Yes
PC software	Yes	Yes	Yes

PC software





TW010, TW020, TW050, TW100



TW200, TW340



TW800, TW1000

Custom factory setting with
ratchet rotated 90 degrees for
vertical applications

DIGITAL TORQUE WRENCH MODELS

Pro	Super	Auditor	Range (N.m)	Adapter	Ratchet	L (mm)	W (kg)
TW010P	TW010S	TAW010	1-10	9x12	1/4" / 3/8"	410	0.85
TW020P	TW020S	TAW020	2-20	9x12	1/4" / 3/8"	410	0.85
TW050P	TW050S	TAW050	5-50	9x12	3/8"	410	0.85
TW100P	TW100S	TAW100	10-100	9x12	3/8"	410	0.85
TW200P	TW200S	TAW200	20-200	14x18	1/2"	625	1.3
TW340P	TW340S	TAW340	34-340	14x18	1/2"	625	1.3
TW600P	TW600S	TAW600	60-600	24x32	3/4"	1250	4
TW800P	TW800S	TAW800	80-800	24x32	3/4"	1360	6
TW1000P	TW1000S	TAW1000	100-1000	24x32	3/4"	1360	6
TW1500P	TW1500S	TAW1500	150-1500	27x36	1"	1600	8
TW2000P	TW2000S	TAW2000	200-2000	27x36	1"	1600	8

ONE-WAY WIRELESS UPGRADE (Zigbee)

One-way wireless wrench upgrade
Separate wireless receiver required

Model

TW****W
WCBR



WCBR

TWO-WAY WIRELESS UPGRADE (Bluetooth)

Two-way wireless wrench upgrade

Model

TW****BT



BATCH CAPTURE software

ENHANCED FEEDBACK UPGRADE

Vibrating handle & extra LEDs

Model

TW****-EF



TW050S-EF

Smart-Click

Digital Torque Wrenches

CLICK IT OUT, SAVE THE RESULT

- Maximum permissible deviation $\pm 1\%$ of actual reading
- Click repeatability $\pm 4\%$ of actual reading
- Capture first peak & ensure minimum torque reached
- Capture installed torque for full traceability
- Languages; English, Chinese, French, German, Italian, Polish, Portuguese, Russian, Spanish
- Units; cN.m, N.m, ozf.in, lbf.in, lbf.ft, kgf.cm, kgf.m



SMART + EASY

Packed full of intelligent features. Easy to master

CLEAR + DISTINCT

Distinct mechanical click, bright OLED display, progress bar & buzzer for pass/fail signalling

FAMILIAR + ADVANCED

The familiar feel and efficiency of a click wrench with the traceability of a digital wrench

TRACEABLE

Transfer data via USB to PC software or upgrade to one of our wireless options

SMART-CLICK SERIES

Feature	Super
Track	Yes
Peak	Yes
Presets	99
Click-Torque	Yes
Installed Torque	Yes
PC software	Yes

PC software





SMART-CLICK MODELS

Super	Adjustable Range (N.m)	Adapter	Ratchet	L (mm)	W (kg)
SC065S	20-65	9x12	3/8"	400	1
SC160S	40-160	14x18	1/2"	515	1.4

ONE-WAY WIRELESS UPGRADE (Zigbee)

One-way wireless wrench upgrade
Separate wireless receiver required

Model

SC****W
WCBR



TWO-WAY WIRELESS UPGRADE (Bluetooth)

Two-way wireless wrench upgrade

Model

SC****BT



BATCH CAPTURE software